

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

ATTORNEY DOCKET NO. APPLICATION NO. FILING DATE CONFIRMATION NO. FIRST NAMED INVENTOR 09/919,555 10010326-2 4382 07/31/2001 Herbert F. Cattell 7590 06/11/2003 AGILENT TECHNOLOGIES, INC. **EXAMINER Intellectual Property Administration** FORMAN, BETTY J Legal Department, DL429 P.O. Box 7599 **ART UNIT** PAPER NUMBER Loveland, CO 80537-0599 1634 DATE MAILED: 06/11/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No	D.	Applicant(s)	
Office Action Summary		09/919,555		CATTELL ET AL.	
		Examiner	· · · · · · · · · · · · · · · · · · ·	Art Unit	
		BJ Forman		1634	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address					
Period for Reply  A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM					
<ul> <li>THE MAILING DATE OF THIS COMMUNICATION.</li> <li>Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.</li> <li>If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.</li> <li>If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.</li> <li>Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).</li> <li>Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).</li> </ul>					
Status					
1)[\]	Responsive to communication(s) filed on <u>17 March 2003</u> .				
2a)⊠ —	, , , , , , , , , , , , , , , , , , , ,	is action is non-			
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4)⊠ Claim(s) <u>1,2 and 4-46</u> is/are pending in the application.					
4a) Of the above claim(s) <u>17-44</u> is/are withdrawn from consideration.					
5)	5) Claim(s) is/are allowed.				
6)⊠ Claim(s) <u>1,2,4-16,45 and 46</u> is/are rejected.					
7)	7) Claim(s) is/are objected to.				
8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers					
9) The specification is objected to by the Examiner.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.					
If approved, corrected drawings are required in reply to this Office action.					
12) The oath or declaration is objected to by the Examiner.					
Priority under 35 U.S.C. §§ 119 and 120					
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
a) ☐ All b) ☐ Some * c) ☐ None of:					
1. Certified copies of the priority documents have been received.					
	2. Certified copies of the priority documents have been received in Application No				
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
14)⊠ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).					
a) The translation of the foreign language provisional application has been received.  15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.					
Attachment(s)					
2) Notice	of References Cited (PTO-892) of Draftsperson's Patent Drawing Review (PTO-948) ation Disclosure Statement(s) (PTO-1449) Paper No(s)	4) 5) 6)	1	PTO-413) Paper No(s) Itent Application (PTO-152)	

#### FINAL ACTION

1. This action is in response to papers filed 25 February 2003 in which claims1, 2, 4, 6, 7, 9-16 were amended, claim 3 was canceled and claims 45-46 were added. All of the amendments have been thoroughly reviewed and entered. The previous rejections in the Office Action dated 25 November 2002 are withdrawn in view of the amendments.

All of the arguments have been thoroughly reviewed but are deemed moot in view of the amendments, withdrawn rejections and new grounds for rejection. New grounds for rejection are discussed.

Claims 1, 2, 4-46 and 45-46 are under prosecution.

### Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 1, 2, 4-16, 45-46 are provisionally rejected under 35 U.S.C. 102(e) as being anticipated by copending Application No. 09/775,387 which has a common inventor with the

Art Unit: 1634

instant application. Based upon the earlier effective U.S. filing date of the copending application, it would constitute prior art under 35 U.S.C. 102(e), if published under 35 U.S.C. 122(b) or patented. This provisional rejection under 35 U.S.C. 102(e) is based upon a presumption of future publication or patenting of the copending application.

This provisional rejection under 35 U.S.C. 102(e) might be overcome either by a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the copending application was derived from the inventor of this application and is thus not the invention "by another," or by an appropriate showing under 37 CFR 1.131. This rejection may not be overcome by the filing of a terminal disclaimer. See *In re Bartfeld*, 925 F.2d 1450, 17 USPQ2d 1885 (Fed. Cir. 1991).

Regarding Claim 1, Cattell discloses a method of generating an addressable array of chemical moieties on a substrate comprising: depositing the moieties onto different regions of the substrate so as to fabricate the array; before the array has been exposed to a sample saving in a memory array related data comprising instructions for reading the array or instruction of processing the array; and shipping the fabricated array and forwarding the array related data to a location remote form where the array is fabricated (¶ 6) wherein the instructions for reading or processing the array includes information regarding feature errors which are detected, communicated to the fabrication station and added to the memory before subsequent users expose the arrays to a sample (¶ 45 and Fig. 6).

Regarding Claim 2, Cattell discloses a method of generating an addressable array of chemical moieties on a substrate comprising: depositing the moieties onto different regions of the substrate so as to fabricate the array; before the array has been exposed to a sample saving in a memory array related data comprising instructions for reading the array or instruction of processing the array; wherein array related data is saved in association with an identifier (i.e. bar code, ¶ 40); applying the identifier to the substrate or housing carrying the substrate; and shipping the fabricated array and forwarding the array related data to a remote location (¶ 39-

Art Unit: 1634

41) wherein the instructions for reading or processing the array includes information regarding feature errors which are detected, communicated to the fabrication station and added to the memory before subsequent users expose the arrays to a sample (¶ 45 and Fig. 6).

Regarding Claim 4, Cattell discloses the method wherein the chemical moieties are biopolymers (¶ 24).

Regarding Claim 5, Cattell discloses the method wherein the biopolymers are DNA (¶ 24).

Regarding Claim 6, Cattell discloses the method wherein the memory is a database and the method additionally comprises retrieving the array related data from the memory and communicating the retrieved data to a remote location in response to receiving a communication of the identifier from the remote location (¶ 36-40).

Regarding Claim 7, Cattell discloses the method wherein the memory comprises a portable storage medium, the method further comprising shipping the portable medium to a remote location e.g. bar codes illustrated in Fig. 1, # 356 and 358 (¶ 40 and Fig. 6).

Regarding Claim 8, Cattell discloses the method wherein the portable storage medium is shipped to the same remote location as the array (¶ 40 and Fig. 6).

Regarding Claim 9, Cattell discloses the method further comprising applying a communication address to the substrate or housing wherein the address identifies a remote location from which the identity map will be communicated in response to a received communication of the associated map identifier (¶ 40).

Regarding Claim 10, Cattell discloses a method of generating, at a central fabrication station, an addressable array of chemical moieties on a substrate comprising: depositing the moieties onto different regions of the substrate so as to fabricate the array; before the array has been exposed to a sample saving in a memory array related data said data comprising instructions for reading the array or instruction of processing the array; wherein array related data is saved in association with a map identifier; applying the identifier to the corresponding

Art Unit: 1634

substrate or housing carrying the corresponding substrate; and shipping the fabricated array and forwarding the array related data to a remote location (¶ 27 and 40).

Regarding Claim 11, Cattell discloses the method wherein the chemical moieties are biopolymers (¶ 24).

Regarding Claim 12, Cattell discloses the method wherein the biopolymers are DNA (¶ 24).

Regarding Claim 13, Cattell discloses the method wherein the memory is a database the method additionally comprising retrieving the array related data for arrays from the memory and communicating the data to a remote locations in response to receiving a communication of associated identifiers from the remote location (¶ 36-40).

Regarding Claim 14, Cattell discloses the method wherein for each of the multiple array the corresponding identify map and associated identifier are saved on a memory comprising a portable computer readable storage medium the method additionally comprising shipping the portable storage mediums to multiple remote locations (¶ 40 and Fig. 6).

Regarding Claim 15, Cattell discloses the method wherein each of the portable storage mediums are shipped with the corresponding fabricated array to the same remote location from which the set of biopolymers used in fabricating the array was received (¶ 40 and Fig. 6).

Regarding Claim 16, Cattell discloses the method further comprising applying a same communication address to each of the substrates or housings wherein the address identifies a remote location from which the identity map will be communicated in response to a received communication of the associated map identifier (¶ 40).

Regarding Claim 45-46, Cattell discloses the method wherein the array related data includes an indication as to whether a particular type of control probe is present i.e. the data includes "any biological information on an array feature" (¶ 39 e.g. complement). Because a control probe is biological and because the data of Cattell includes any biological information,

Art Unit: 1634

the data of Cattell includes an indication as to whether a particular type of control probe is present.

4. Claims 1, 2, 4-16 are rejected under 35 U.S.C. 102(e) as being anticipated by Cattell, H. (U.S. Patent No. 6,180,351, filed 22 July 1999).

The applied reference has a common inventor with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 102(e) might be overcome either by a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not the invention "by another," or by an appropriate showing under 37 CFR 1.131.

Regarding Claim 1, Cattell discloses a method of generating an addressable array of chemical moieties on a substrate comprising: depositing the moieties onto different regions of the substrate so as to fabricate the array (Column 2, line 60-Column 3, line 5 and Claim 1); before the array has been exposed to a sample saving in a memory array related data said data comprising instructions for reading the array or instruction of processing the array (Column 5, lines 41-48); and shipping the fabricated array and forwarding the array related data to a remote location (Column 3, line 55-Column 4, line 9 and 33-43 and Claims 10-11).

Regarding Claim 2, Cattell discloses a method of generating an addressable array of chemical moieties on a substrate comprising: depositing the moieties onto different regions of the substrate so as to fabricate the array (Column 2, line 60-Column 3, line 5 and Claim 1); before the array has been exposed to a sample saving in a memory array related data said data

Art Unit: 1634

comprising instructions for reading the array or instruction of processing the array (Column 5, lines 41-48; wherein array related data is saved in association with an identifier (Column 4, lines 33-43); associating the identifier with the array (Column 4, lines 34-37 and Claim 12); and shipping the fabricated array and forwarding the array related data to a remote location (Column 3, line 55-Column 4, line 9 and Claims 10-11) and applying the identifier to the substrate or housing carrying the substrate (Column 3, line 64-Column 4, lines 2).

Regarding Claim 4, Cattell discloses the method wherein the chemical moieties are biopolymers (Column 2, lines 60-64 and Claim 3).

Regarding Claim 5, Cattell discloses the method wherein the biopolymers are DNA (Column 2, lines 60-64 and Claim 4).

Regarding Claim 6, Cattell discloses the method wherein the memory is a database and the method additionally comprises retrieving the array related data from the memory and communicating the retrieved data to a remote location in response to receiving a communication of the identifier from the remote location (Column 3, lines 28-43 and Column 12, lines 39-43).

Regarding Claim 7, Cattell discloses the method wherein the memory comprises a portable storage medium, the method further comprising shipping the portable medium to a remote location e.g. bar codes illustrated in Fig. 4, # 356 and 358 (Column 9, lines 65-Column 10, line 4).

Regarding Claim 8, Cattell discloses the method wherein the portable storage medium is shipped to the same remote location as the array (Column 9, lines 65-Column 10, line 4).

Regarding Claim 9, Cattell discloses the method further comprising applying a communication address to the substrate or housing wherein the address identifies a remote location from which the identity map will be communicated in response to a received communication of the associated map identifier (Column 10, line 65-Column 50).

Art Unit: 1634

Regarding Claim 10, Cattell discloses a method of generating, at a central fabrication station, an addressable array of chemical moieties on a substrate comprising: depositing the moieties onto different regions of the substrate so as to fabricate the array (Column 2, line 60-Column 3, line 5 and Claim 1); before the array is exposed to a sample saving in a memory array related data said data comprising, instructions for reading the array or instruction of processing the array (Column 5, lines 41-48); wherein array related data is saved in association with a map identifier (Column 4, lines 33-43); applying the identifier to the corresponding substrate or housing carrying the corresponding substrate (Column 4, lines 34-37 and Claim 12); and shipping the fabricated array and forwarding the array related data to a remote location (Column 3, line 55-Column 4, line 9 and Claims 10-11 and Claim 14).

Regarding Claim 11, Cattell discloses the method wherein the chemical moieties are biopolymers (Column 2, lines 60-64 and Claim 3).

Regarding Claim 12, Cattell discloses the method wherein the biopolymers are DNA (Column 2, lines 60-64 and Claim 4).

Regarding Claim 13, Cattell discloses the method wherein the memory is a database the method additionally comprising retrieving the array related data for arrays from the memory and communicating the data to a remote locations in response to receiving a communication of associated identifiers from the remote location (Column 3, lines 28-43 and Column 12, lines 39-43).

Regarding Claim 14, Cattell discloses the method wherein for each of the multiple array the corresponding identify map and associated identifier are saved on a memory comprising a portable computer readable storage medium the method additionally comprising shipping the portable storage mediums to multiple remote locations (Column 9, lines 65-Column 10, line 52 and Claim 14)

Regarding Claim 15, Cattell discloses the method wherein each of the portable storage mediums are shipped with the corresponding fabricated array to the same remote location from

which the set of biopolymers used in fabricating the array was received (Column 3, line 55-Column 4,line 10).

Regarding Claim 16, Cattell discloses the method further comprising applying a same communication address to each of the substrates or housings wherein the address identifies a remote location from which the identity map will be communicated in response to a received communication of the associated map identifier (Column 10, line 65-Column 50 and Claim 14 (d) shipping each of the fabricated arrays....to one or more of the remote locations, lines 36-63).

# Response to Arguments

5. Applicant argues that the amended claims require that the array related data include instructions for reaction or processing an array following its reading and the examiner has not pointed to such a teaching in either Application No. 09/775,387 or U.S. Patent No. 6,180,351.

As noted above, both the '387 application and the '351 patent teach the claims as amended. Specifically, the '387 application teaches that during fabrication information required for reading and processing the array (e.g. missing features, misplaced feature, features of incorrect dimension, other physical characteristics) is stored such that the person reading data from the array will interpret the data correctly (¶ 5, 11, 15, 41, 45). And the '351 patent teaches that the array comprises an identifier containing information regarding processing and/or reading the array (Column 5, lines 41-48 and Column 12, lines 18-35).

### Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 1, 2, 4-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Perttunen et al (U.S. Patent No. 5,968,728, issued 19 October 1999) in view of Ellison et al (U.S. Patent Application Publication No. 2002/0086319A1, filed 13 November 2000).

Regarding Claim 1, Perttunen et al teach a method of generating an addressable array of chemical moieties on a substrate comprising: depositing the moieties onto different regions of the substrate so as to fabricate the array; before the array has been exposed to a sample, saving in a memory array related data said data comprising instructions for reading the array or instruction of processing the array (Column 3, lines 54-67) wherein the array and array related data is utilized by an end user (Column 8, lines 38-41 and Column 9, lines 63-Column 10, lines 2) which clearly suggests that the array is sent from the place of origin but they do not specifically teach shipping the fabricated array and forwarding the array related data to a remote location. However, shipping arrays to end users was well known in the art at the time the claimed invention was made as taught by Ellison et al. Ellison et al teach a similar method for generating an addressable array of chemical moieties comprising depositing moieties onto different regions of the substrate, saving in a memory array related data and shipping the array and forwarding the array related data to a remote location i.e. to shipping address contained in the machine readable information (¶ 8). It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to apply the shipping of Ellison et al to the arrays of Perttunen et al and, based on the location of the end

Art Unit: 1634

user, ship the arrays to the end user for the obvious benefits of shipping e.g. convenience and availability.

Regarding Claim 2, Perttunen et al teach a method of generating an addressable array of chemical moieties on a substrate comprising: depositing the moieties onto different regions of the substrate so as to fabricate the array; before the array has been exposed to a sample, saving in a memory array related data said data comprising instructions for reading the array or instruction of processing the array (Column 3, lines 54-67) wherein the array related data is saved in association with an identifier i.e. id code; wherein the identifier is associated with the array by applying the identifier to the substrate or housing carrying the substrate (Column 4, line 61-Column 5, line 7 and Fig. 10-12) (Column 7, line 40-Column 8, line 62, Fig. 10, # 112 & 114, Fig. 11, # 132 & 136 and Fig. 12, # 146) wherein the array and array related data is utilized by an end user (Column 8, lines 38-41 and Column 9, lines 63-Column 10, lines 2) which clearly suggests that the array is sent from the place of origin but they do not specifically teach shipping the fabricated array and forwarding the array related data to a remote location. However, shipping arrays to end users was well known in the art at the time the claimed invention was made as taught by Ellison et al. Ellison et al teach a similar method for generating an addressable array of chemical moieties comprising depositing moieties onto different regions of the substrate, saving in a memory array related data and shipping the array and forwarding the array related data to a remote location i.e. to shipping address contained in the machine readable information (¶ 8). It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to apply the shipping of Ellison et al to the arrays of Perttunen et al and, based on the location of the end user, ship the arrays to the end user for the obvious benefits of shipping e.g. convenience and availability.

Regarding Claim 4, Perttunen et al teach the method wherein the chemical moieties are biopolymers (Column 4, lines 13-26).

Art Unit: 1634

Regarding Claim 5, Perttunen et al teach the method wherein the biopolymers are DNA (Column 4, lines 13-26).

Regarding Claim 6, Perttunen et al teach the method wherein the memory is a database and the method additionally comprises retrieving the array related data from the memory and communicating the retrieved data to a remote location in response to receiving a communication of the identifier from the remote location (Column 8, lines 38-54).

Regarding Claim 7, Perttunen et al teach the method wherein the memory comprises a portable storage medium e.g. bar code, the method further comprising shipping the portable medium to a remote location to the end user (Column 7, line 40-Column 8, line 62, Fig. 10, # 112 & 114, Fig. 11, # 132 & 136 and Fig. 12, # 146).

Regarding Claim 8, Perttunen et al teach the method wherein the portable storage medium is shipped to the same remote location as the array i.e. user (Column 8, lines 35-42).

Regarding Claim 9, Perttunen et al teach the method wherein the substrate has applied thereto array related data e.g. identification code (Column 8, lines 1-19) but they do not teach the identification code comprises a communication address. However, Ellison et al teach the similar method of generating an array wherein the array has applied thereto identification code including a communication address from with the identity map will be communicated i.e. customer (¶ 8) wherein the address on the substrate identifies customer and/or billing information. It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to include the communication address as taught by Ellison et al in the identification code on the substrate of Perttunen et al to thereby identify customer via the address as taught by Ellison et al (¶ 8).

Regarding Claim 10, Perttunen et al teach a method of generating, at a central fabrication station, an addressable array of chemical moieties on a substrate comprising: depositing the moieties onto different regions of the substrate so as to fabricate the array; before the array has been exposed to a sample, saving in a memory array related data said data

Art Unit: 1634

comprising instructions for reading the array or instruction of processing the array (Column 3, lines 54-67) wherein the array related data is saved in association with an identifier i.e. id code; applying the identifier to the corresponding substrate or corresponding housing (Column 7, line 40-Column 8, line 62, Fig. 10, # 112 & 114, Fig. 11, # 132 & 136 and Fig. 12, # 146) wherein the array and array related data is utilized by an end user (Column 8, lines 38-41 and Column 9, lines 63-Column 10, lines 2) which clearly suggests that the array is sent from the place of origin but they do not specifically teach shipping the fabricated array and forwarding the array related data to a remote location. However, shipping arrays to end users was well known in the art at the time the claimed invention was made as taught by Ellison et al. Ellison et al teach a similar method for generating an addressable array of chemical moieties comprising depositing moieties onto different regions of the substrate, saving in a memory array related data and shipping the array and forwarding the array related data to a remote location i.e. to shipping address contained in the machine readable information (¶ 8). It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to apply the shipping of Ellison et al to the arrays of Perttunen et al and, based on the location of the end user, ship the arrays to the end user for the obvious benefits of shipping e.g. convenience and availability.

Regarding Claim 11, Perttunen et al teach the method wherein the chemical moieties are biopolymers (Column 4, lines 13-26).

Regarding Claim 12, Perttunen et al teach the method wherein the biopolymers are DNA (Column 4, lines 13-26).

Regarding Claim 13, Perttunen et al teach the method wherein the memory is a database the method additionally comprising retrieving the array related data for arrays from the memory and communicating the data to a remote locations in response to receiving a communication of associated identifiers from the remote location Column 8, lines 38-54).

Art Unit: 1634

Regarding Claim 14, Perttunen et al teach the method wherein for each of the multiple array the corresponding identify map and associated identifier are saved on a memory comprising a portable computer readable storage medium wherein the array is used by an end user (Column 7, line 40-Column 8, line 62, Fig. 10, # 112 & 114, Fig. 11, # 132 & 136 and Fig. 12, # 146) but they do not specifically teach shipping the portable storage mediums to multiple remote locations. However, shipping arrays to end users was well known in the art at the time the claimed invention was made as taught by Ellison et al. Ellison et al teach a similar method for generating an addressable array of chemical moieties comprising depositing moieties onto different regions of the substrate, saving in a memory array related data and shipping the array and forwarding the array related data to a remote location i.e. to shipping address contained in the machine readable information (¶ 8). It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to apply the shipping of Ellison et al to the arrays of Perttunen et al and, based on the location of the end user, ship the arrays to the end user for the obvious benefits of shipping e.g. convenience and availability.

Regarding Claim 15, Perttunen et al teach the method wherein each of the portable storage mediums and the corresponding fabricated array are used by the at the same remote location i.e. end user from which the set of biopolymers used in fabricating the array was received (Column 7, line 40-Column 8, line 62).

Regarding Claim 16, Perttunen et al teach the method wherein each of the substrates comprise an identification code which identifies array related data e.g. identification code (Column 8, lines 1-19) but they do not teach the identification code comprises a communication address. However, Ellison et al teach the similar method of generating an array wherein the array has applied thereto identification code including a communication address from with the identity map will be communicated i.e. customer (¶ 8) wherein the address on the substrate identifies customer and/or billing information. It would have been

correlations between the customer and the array.

obvious to one of ordinary skill in the art at the time the claimed invention was made to include the communication address as taught by Ellison et al. in the identification code on the substrate of Perttunen et al to thereby identify customer proving the array samples via the address as taught by Ellison et al. (¶ 8) for the obvious benefits of maintaining correct

# Response to Arguments

8. Applicant argues that the amended claims require that the array related data include instructions for reaction or processing an array following its reading and the examiner has not pointed to such a teaching in either Perttunen or Ellison.

However, as stated above, Perttunen specifically teach that array related data comprising instruction for reading and/or processing the array is stored in memory prior to exposing the array to a sample (Column 3, lines 54-67).

9. Claims 45-46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Perttunen et al (U.S. Patent No. 5,968,728, issued 19 October 1999) in view of Ellison et al (U.S. Patent Application Publication No. 2002/0086319A1, filed 13 November 2000) as applied to Claims 1 and 2 above and further in view of Zelany et al (U.S. Patent No. 6,215,894, filed 26 February 1999).

Regarding Claims 45 and 46, Perttunen et al teach a method of generating an addressable array of chemical moieties on a substrate comprising: depositing the moieties onto different regions of the substrate so as to fabricate the array; before the array has been exposed

to a sample, saving in a memory array related data said data comprising instructions for reading the array or instruction of processing the array (Column 3, lines 54-67) wherein the array and array related data is utilized by an end user (Column 8, lines 38-41 and Column 9, lines 63-Column 10, lines 2) which clearly suggests that the array is sent from the place of origin but they do not specifically teach shipping the fabricated array and forwarding the array related data to a remote location. However, shipping arrays to end users was well known in the art at the time the claimed invention was made as taught by Ellison et al. Ellison et al teach a similar method for generating an addressable array of chemical moieties comprising depositing moieties onto different regions of the substrate, saving in a memory array related data and shipping the array and forwarding the array related data to a remote location i.e. to shipping address contained in the machine readable information (¶ 8). It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to apply the shipping of Ellison et al to the arrays of Perttunen et al and, based on the location of the end user, ship the arrays to the end user for the obvious benefits of shipping e.g. convenience and availability.

Perttunen et al teach the method wherein the array related data generates mappings of the array and directs operation of the scanning system (Column 3,lines 54-67) but they do not specifically teach that the data includes an indication as to whether a particular type of control probe is present on the array. However, control probes were well known in the art at the time the claimed invention was made as taught by Zelany et al who teach that the control probes are useful for calibrating and adjusting the scanner thereby facilitating scanning (Column 3, lines 19-25). It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to modify the data of Perttunen et al by including data as to whether a control probe is present on the array for the expected benefit of adjusting and calibrating the scanner as taught by Zelany et al (Column 3, lines 19-25).

#### Double Patenting

10. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

11. Claims 1, 2, 4-16 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-19 of U.S. Patent No. 6,180,351.

Although the conflicting claims are not identical, they are not patentably distinct from each other because both sets of claims are drawn to a method of generating an addressable array and differ only in the patent claims recite the additional method step (a) of receiving from a remote station information on a layout of the array and associated identifier and (e) forwarding a second copy of the local identifier to the remote station. However, the open claim language "comprising" recited in the instant claims encompasses the additional method steps of the patent claims. Therefore, the instant claims are obvious in view of the patent claims.

12. Claims 10 and 13-16 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 21-24 of copending Application No. 09/775,387. Although the conflicting claims are not identical, they are not patentably distinct from each other because both sets of claims are drawn to a method of generating addressable arrays of biopolymers and differ only in the arrangement of the claim limitations i.e. the limitations of instant claims 13-16 are recited in Claim 21 of the '387 application. As such, the instant and '387 claims encompass inventions which are not patentably distinct.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

## **Response to Comments**

13. Applicant's intention to file an terminal disclaimer upon indication of allowable subject matter is acknowledged.

### **Prior Art**

14. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

Zeleny et al U.S. Patent No. 6,215,894, filed 26 February 1999

Chappell U.S. Patent Application Publication No. 2002/0075490A1

Ebersole U.S. Patent No. 4,219,335

15. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

# Conclusion

- 16. No claim is allowed.
- 17. Any inquiry concerning this communication or earlier communications from the examiner should be directed to BJ Forman whose telephone number is (703) 306-5878. The examiner can normally be reached on 6:30 TO 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Benzion can be reached on (703) 308-1119. The fax phone numbers for the organization where this

Application/Control Number: 09/919,555 Page 20

Art Unit: 1634

application or proceeding is assigned are (703) 308-4242 for regular communications and (703) 308-8724 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0196.

BJ Forman, Ph.D. Patent Examiner

Art Unit: 1634 June 9, 2003